




Surface Door



Wardrobe Door



Room Divider

PRODUCT NAME

Aluminum Doors: Wardrobe, Surface, Room Dividers, Partitions

MANUFACTURER

COX

A Division of KLS Doors, LLC
4755 E. Zinfandel Court, Suite D
Ontario, CA 91761
Phone: 909.545.8900
Fax: 909.975.4801
Email: sales@coxusa.us
www.coxusa.us

PRODUCT DESCRIPTION

BASIC USE

Cox "Urban Door Collection" (UDC) aluminum doors are delivered to the field fabricated and ready for installation. This product can be used as a wardrobe door application, surface mounted door which mounts on a wall and slides over the opening, wall pockets, corner room dividers, or wall partition. The Cox UDC product is for interior applications only. UDC is designed for use in hotels, offices, assisted living and public housing, as well as multi-family and mixed use dwellings.

COMPOSITION & MATERIALS

Wardrobe, Partition, and Room Dividers consist of Vertical Stiles that are made of 17 gauge aluminum, 6063 or 6065 alloy, and measure 1-1/2" in width and 1-5/16" in depth. The Horizontal Rails are made of 17 gauge aluminum, 6063 or 6065 alloy, and measure 1-5/8" in height and 1-3/16" in depth. The Top Channel is made of 16 gauge aluminum, 6063 or 6065 alloy. The Bottom Track is made of 10 gauge aluminum, 6063 or 6065 alloy. The Horizontal Beams are made of 14 gauge aluminum, 6063 or 6065 alloy. These products utilize ball bearing bottom rollers and twin top rollers. This hardware system can accommodate an individual door that does not exceed 175 pounds in weight.

Surface and Pocket Doors consist of Vertical Stiles that are made of 17 gauge aluminum, 6063 or 6065 alloy, and measure 1-1/2" in width and 1-5/16" in depth. The Horizontal Rails are made of 17 gauge aluminum, 6063 or 6065 alloy, and measure 1-5/8" in height and 1-3/8" in depth. The Top Track is made of 16 gauge aluminum, 6063 alloy. The Fascia is made of 17 gauge aluminum, 6063 or 6065 alloy. The surface door does not require a floor track. A twin roller mounted on a wall bracket is utilized to secure the door to the wall, not allowing the door to swing away from the surface of the wall. This hardware system can accommodate an individual door that does not exceed 175 pounds in weight.

TYPES

- Wardrobe Doors with double, triple, or quad ADA track.
- Surface or Pocket Doors, single or double door.
- Wall Partitions fixed and/or operable panels
- Corner Room Dividers fixed and/or operable panels

STANDARD FINISHED OPENINGS

Room Dividers and Wardrobe	Surface Doors
48" x 80"-81" and 96"-97"	24" x 80-1/2" and 96"
60" x 80"-81" and 96"-97"	28" x 80-1/2" and 96"
72" x 80"-81" and 96"-97"	30" x 80-1/2" and 96"
84" x 80"-81" and 96"-97"	32" x 80-1/2" and 96"
96" x 80"-81" and 96"-97"	36" x 80-1/2" and 96"
	48" x 80-1/2" and 96"

Special sizes available upon request.

COX ■ DISTINCTIVE DOOR SYSTEMS 

SUPERIOR HARDWARE. BEAUTIFUL DOORS.

HARDWARE PREPARATION

UDC Hardware allows a vertical adjustment of 3/8" for Wardrobe, Partitions, and Room Dividers. For Surface and Pocket installations, a vertical adjustment of 9/16" is allowed. All products can be attached to an existing header, or UDC offers a header that matches the finish of the frames.


COLOR AND FINISH OPTIONS



SATIN SILVER



OIL RUBBED BRONZE



BLACK



WHITE



JAVA WOODGRAIN

GLASS OPTIONS




SATIN DECO
5MM Tempered



TRANS WHITE
LAMINATE 6MM



COLOR GLASS
5MM Tempered




REED
5MM Tempered



CROSS REED
5MM Tempered



RAIN
5MM Tempered




LINEN
5MM Tempered

DECORATIVE OPTIONS



TRIPLE



QUAD



PENTA



DOUBLE T



HALF QUAD

TECHNICAL DATA

Paint to be Electrostatic Sprayed and be 1.0 – 1.4 in mil thickness.

Glass – all monolithic and laminated glass are ANSI compliant.

Anti-Jump Bottom Rollers are ANSI compliant.


Bottom track(s) meets ADA profile requirements and are ANSI compliant.


Push/Pull Force meets ADA requirements. Push/Pull rolling performance is ANSI compliant.

AVAILABILITY AND COST


The Cox Urban Door Collection is manufactured in the United States and therefore available in a 10-15 day lead time depending on the location. They are marketed through a nationwide network of dealers and licensed fabricators.

TECHNICAL DRAWINGS







8001 DOUBLE TOP CHANNEL
3 3/16" WIDE BY 2 1/8" TALL



8005 TRIPLE TOP CHANNEL
4 3/4" WIDE BY 2 1/8" TALL




8023 QUAD TOP CHANNEL
6 7/16" WIDE BY 2 1/8" TALL




8021 ADA DOUBLE TRACK
3" WIDE BY 3/8" TALL




8025 ADA TRIPLE TRACK
4 9/16" WIDE BY 3/8" TALL




8022 ADA QUAD TRACK
6 3/16" WIDE BY 3/8" TALL




8011 TOP TRACK
1 3/4" WIDE BY 1 1/8" TALL




TOP ROLLER
ASSEMBLY
(PARTITIONS
AND CLOSET
DOORS)



BOTTOM ROLLER
ASSEMBLY
(PARTITIONS
AND CLOSET
DOORS)



ANTI-JUMP
FEATURE



TOP ROLLER
ASSEMBLY
(SURFACE HUNG DOORS
AND POCKET DOORS)